

FIG. 1






FIG. 2



+

3 / 15


FIG. 3



+


+

FIG. 4




+

TODAY'S



F I G . 5 B



6715
FIG. 5C





FIG. 5D



7 / 15

FIG. 6A

Canine MSC suppress primary
MLR (Stimulator: E645 PBMC)





FIG. 6B

Canine MSC suppress primary
MLR (Stimulator: E647 PBMC)



+

8 / 15

FIG. 6C

Canine MSC suppress primary
MLR (Stimulator: E154 PBMC)




FIG. 6D

Canine MSC suppress primary
MLR (Stimulator: E521 PBMC)




FIG. 7






FIG. 8



Suppressive Effect of Supernatants Generated from hMSCs
or hMSC-Suppressed MLR Cultures: Effect on Primary MLR


FIG. 9

MLR95: the effect of SNS from MLR86 on primary MLR (II-MLR T*155x413)



Suppressive Effect of Supernatants Generated from hMSCs or hMSC- Suppressed MLR Cultures: Effect on Ongoing MLR

FIG. 10



Suppression of Different Human MLRs by MSCs from Baboon #86243

FIG. 11




FIG. 12

Suppression of Xenogeneic MLR (Human X Baboon)
by Human and Baboon MSCs




FIG. 13

Suppression of Xenogeneic MLR (Human X Baboon)
by Human and Baboon MSCs

15 / 15

